# Standards for Technology Registry Entry

STORE 2023

January 1, 2023

Posted 4/11/2024

Coding Instructions 76
Examples 76
Sequence Number 77
Description 77
Rationale 77
Coding Instructions 77
Malignant or In Situ Primaries 77
Non-Malignant Primaries 78
Examples 78
City/Town at Diagnosis (City or Town) 79
Description 79
Rationale 79
Coding Instructions 79
Examples 79
State at Diagnosis (State) 80
Description 80
Rationale 80
Coding Instructions 80
Postal Code at Diagnosis (Zip Code) 82
Description 82
Rationale 82
Coding Instructions 82
Address at Dx-Country 83
Description 83
Rationale 83
Coding Instructions 83
Examples 83
County at Diagnosis 84
Description 84
Rationale 84
Coding Instructions 84
Birthplace—State 85
Description 85
Rationale 85

Description
Rationale
Coding Instructions
Histology
Description
Rationale
Coding Instructions
Examples
Behavior Code
Description
Rationale
Coding Instructions
Examples
Grade Clinical
Description
Rationale
Coding Instructions
Grade Pathological
Description
Rationale
Coding Instructions
Diagnostic Confirmation
Description
Rationale
Coding Instructions – Solid Tumors (all tumors except M9590-9993)
Coding Instructions – Hematopoietic or Lymphoid Tumors (M9590-9993)
Stage of Disease at Diagnosis
Date of Surgical Diagnostic and Staging Procedure
Description
Rationale
Coding Instructions
Surgical Diagnostic and Staging Procedure
Description
Rationale

Coding Instructions
Regional Lymph Nodes Positive
Description
Rationale
Coding Instructions
Tumor Size and Mets
Tumor Size Summary
Description
Rationale
Coding Instructions
Mets at Diagnosis – Bone
Description
Rationale
Coding Instructions
Mets at Diagnosis – Brain
Description
Rationale
Coding Instructions
Mets at Diagnosis – Distant Lymph Nodes
Description
Rationale
Coding Instructions
Mets at Diagnosis –Liver
Description
Rationale
Coding Instructions
Mets at Diagnosis –Lung
Description
Rationale
Coding Instructions
Mets at Diagnosis – Other
Description
Rationale
Coding Instructions

AJCC TNM Stage, Current Edition ..... 1

Coding Instructions.....

Coding Instructions
Palliative Care (Palliative Procedure)
Description
Rationale
Coding Instructions
Examples
Palliative Care at this Facility (Palliative Procedure at this Facility)
Description
Rationale
Coding Instructions
Outcomes
Date of First Recurrence
Description
Rationale
Coding Instructions
Type of First Recurrence
Description
Rationale
Coding Instructions
Examples
Date of Last Cancer (tumor) Status
Description
Rationale
Coding Instructions
Cancer Status
Description
Rationale
Coding Instructions
Examples
Date of Last Contact or Death
Description
Rationale
Coding Instructions
Vital Status

STORE 2023

Rationale
Coding Instructions
Examples
Date Case Completed – CoC
Description
Rationale
Coding Instructions
Override Site/TNM-Stage Group
Description
Rationale
EDITS Use
Coding Instructions
Override Site/Type
Description
Rationale
EDITS Use
Coding Instructions
TNM Edition Number
Description
Rationale
Coding Instructions
APPENDIX A: Current Site-Specific Surgery Codes for 2023+
Coding of Data Items Rx Hosp – Surg 2023 [671] and Rx Summ – Surg 2023 [1291]
ORAL CAVITY
PAROTID AND OTHER UNSPECIFIED GLANDS
PHARYNX
ESOPHAGUS
STOMACH
COLON
RECTOSIGMOID
RECTUM
ANUS
LIVER AND INTRAHEPATIC BILE DUCTS
PANCREAS

# Foreword

## FROM “FORDS” TO “STORE”

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AME c 0A2

| STORE 2023 Page Number | Section or Data Item |
| --- | --- |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

Change 12/19/2023

(C)7.2 STORE (i4 Tm2.6 (e)-6 (gat)-3 BT0 0 0 1 Tm0 0 -0.217 TD69.96 5-6 (hange)6.6 (s)-0.2 (to)-0.2 (the)-0.2 (Data)-0.2 (Item)-0.2 (Name)-0.2 (,)-0.2 ()-0.2 (Chan)6.6 (g)-0.2 (es)-0.2 (to)-0.2 (the)-0.2 (Data)-0.2 (Item)-0.2 (Name)-0.2 (,)-0.2 ()-0.2 (Chan)6.6 (g)-0.2 (es)-0.2 (to)-0.2 (the)-0.2 (Data)-0.2 (Item)-0.2 (Name)-0.2 (,

# Section One: Case Eligibility and Overview of Coding Principles

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Case Eligibility

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

malignant must be abstracted and assigned a Behavior Code of 3 if they are noted to have multiple foci, metastasis or positive lymph nodes.

Effective **January 1, 2023**, low grade appendiceal mucinous neoplasms (LAMN) (8480) are reportable.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**EXCEPTION:** If cytology is identified only with an ambiguous term, do not interpret it as a diagnosis of cancer.

x

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

The CoC recognizes that not every registrar has access to the physician who diagnosed and/or staged the tumor, as a result, the Ambiguous Termin.2 (h)2.3 (y)-4.4525 3xgn.2 53 (y)-4.6 l(is)9.5 (t)-2.9 (d)13.1 (e)-3 linheted

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

patient's diagnosis or treatment is as an outpatient of the facility, the Date of First Contact is the date the patient first appeared at the facility for that purpose.

If the patient was initially diagnosed at the facility and went elsewhere for treatment (Class of Case 00), but then returned for treatment that was initially exped rexped rl

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Overview of Coding Principles

## Unique Patient Identifier Codes

Accession Number [550] and Sequence Number [560] uniquely identify the patient and the tumor. Each cancer patient in a registry is assigned a unique accession number, and each primary diagnosed for that

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

neck ONLY, assign the primary site code for the site where the bulk of the tumor is or where the epicenter is. These cases will be staged with AJCC Cutaneous Carcinoma of the Head and Neck. Do not use code C44.8 Overlapping lesion of skin. Cases coded to C44.8 will represent skin lesions overlapping between head and neck sites AND/OR skin in other parts of the body. These cases will not be staged with AJCC 8th Edition.

### Hematopoietic and Lymphoid Cancers

Beginning with cases diagnosed in 2010, the Hematopoietic and Lymphoid Neoplasm Case Reportability and Coding Manual is to be used for coding primary site and histology of hematopoietic and lymphoid tumors (M-9590-9993) and to determine whether multiple conditions represent one or more tumors to be abstracted. Appendix A in FORDS 2016 has the former table for use for tumors diagnosed prior to January 1, 2010, for determining unique or same hematopoietic tumors.

### Kaposi Sarcoma

- Code Kaposi sarcoma to the site in which it arises.

- Code to Skin, NOS (C44.9) if Kaposi sarcoma arises simultaneously in the skin and another site or the primary site is not identified.

### Melanoma

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

is available that meets the AJCC time frame requirements for staging, change the stage from not applicable (88) to the appropriate staging classification, TNM categories, and stage group, or to unknown. If first course surgery was performed, the surgery codes should be reviewed. For cases diagnosed 2004-2015, update the Collaborative Stage input items and rerun the derivation program.

**Example 2**

A physician decides that a previously clinically diagnosed malignancy is a benign lesion. The patient is referred from a nursing home to the facility. The chest x-ray shows a cavitary lesion in the right lung. The family requests that the patient undergo no additional workup or treatment. Discharge diagnosis is "probable carcinoma of right lung." The registry abstracts a lung primary (C34.9). Two years later a chest

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

for the detailed rules.

### Coding Country and State

Beginning in 2013, “country” fields accompany “state” fields in addresses. The following state and

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## First Course of Treatment

The first course of treatment includes all methods of treatment recorded in the treatment plan and administered to the patient before disease progression or recurrence. "Active surveillance" is a form of planned treatment for some patients; its use is coded in the RX Summ–Treatment Status [1285]. "No

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

When multiple first course procedures coded under the same item are performed6 (mc)1.81-2.4 18.96 315 17.- (a)13.6 p

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- Reason for No Surgery of Primary Site [1340] identifies why surgical therapy was not provided to the patient and distinguishes a physician's not recommending surgical therapy due to contraindicating conditions from a patient's refusal of a recommended treatment plan.

### Radiation Therapy

The radiation items in STORE are clinically relevant and reflect contemporary practice. These items record new "phase" terminology, replacing the traditional terms of "regional" and "boost." The first phase (Phase I) of a radiation treatment may be commonly referred to as an initial plan and a subsequent phase (Phase II) may be referred to as a boost or cone down but modern radiotherapy allows phases to be delivered simultaneously so new terminology is needed. Each phase is meant to reflect a "delivered radiation prescription". At the start of the radiation planning process, physicians write radiation prescriptions to treatment volumes and specify the dose per fraction (session), the number of fractions, the modality, and the planning technique. A phase simply represents the radiation prescription that has actually been delivered (as sometimes the intended prescription differs from the delivered prescription.)

The following summary items apply to all radiation therapy administered at this facility and at other facilities:

Date Radiation Started [1210]

Location of Radiation Treatment 1.B(e)7.6 (m)-5.5 (s978 -1.217 Td[15 Tw -3.3 (d)2.2 ( s)-1.4 (p)2.3 (e)-3)-2.6.9 (ilit)-2ili

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**Radiation Treatment Phaseee.9 (E -3.50 i)-9J0 rI -3.50 m0150 ile.9 (E p)-2.3 (h)-2.7(ea)0.5ntEQ(3e) ade e7.8 (G)a9(Eh)-2**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

## Non-Malignant Primaries

| Code | Definition |
|---|---|
| 60 | One nonmalignant primary only in the patient's lifetime |
| 61 | First of two or more independent nonmalignant primaries |
| 62 | Second of two or more independent nonmalignant primaries |
| … | (Actual sequence of this nonmalignant primary) |
| 87 | Twenty-seventh of 27 or more independent nonmalignant primaries |
| 88 | Unspecified number of independent nonmalignant primaries |

## Examples

| Code | Reason |
|---|---|
| 00 | Patient with no previous history of cancer diagnosed with in situ breast carcinoma on June 13, 2003. |
| 01 | The sequence number is changed when the patient with an in situ breast carcinoma diagnosed June 13, 2003, is diagnosed with a subsequent melanoma on August 30, 2003. |
| 02 | Sequence number assigned to the melanoma diagnosed on August 30, 2003, following a breast cancer in situ diagnosis on June 13, 2003 |
| 04 | A nursing home patient is admitted to the hospital for first course surgery for a colon adenocarcinoma. The patient has a prior history of three malignant cancers of the type the registry is required to accession, though the patient was not seen for these cancers at the hospital. No sequence numbers 01, 02 or 03 are accessioned for this patient. |
| 60 | The sequence number assigned to a benign brain tumor diagnosed on November 1, 2005, following a breast carcinoma diagnosed on June 13, 2003, and a melanoma on August 30, 2003. |
| 63 | Myeloproliferative disease (9975/1) is diagnosed by the facility in 2003 and accessioned as Sequence 60. A benign brain tumor was diagnosed and treated elsewhere in 2002; the patient comes to the facility with a second independent benign brain tumor in 2004. Unaccessioned earlier brain tumor is counted as Sequence 61, myeloproliferative disease is resequenced to 62, and second benign brain tumor is Sequence 63. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# State at Diagnosis (State)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 80 | 2 | See Coding Instructions | 1996+ | 09/01/2004 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# County at Diagnosis

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 90 | 3 | 001-997, 998, 999 | 1996+ | 09/06, 01/10, 01/15 |

## Description

Identifies the county of the patient's residence at the time the reportable tumor is diagnosed.

## Rationale

This data item may be used for epidemiological purposes. For example, to measure the cancer incidence in a particular geographic area.

## Coding Instructions

x

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Race 1

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 160 | 2 | 01–08, 10–17, 20–22, 25–28, 30–32, | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Tobacco Use Smoking Status

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 344 | 1 | 0- 3, 9 | 2023+ | New |

## Description

This variable indicates the patient's past or current smoking use of tobacco (cigarette, cigar and/or pipe).

## Rationale

- Cigarette smoking is the leading preventable cause of death in the United States and a major risk factor for cancer.
- Reliable registry-based tobacco use data will help public health planners and clinicians target and assess tobacco control efforts.
- Tobacco use data at di0.7 (a0 Td(-)n L3.2 (t)21 ( )-173 -1.20.2 Tm[(D)-639 0.24 ref117.12 689 (a)(R)-4.8 (at))]TJ0 g4.8 (l

Rle re(t261(o)-9.6 (c)-1.9 (i)10.6 ( (o)7.9 (h)2.4 10.6 ( ( ( o)-6.h..2 (e)(rt)7.9 .32.(as9(. o)4-1 )]TJ-0i(in)2.3a.522(c-1.9 (t1.9 (t17)-6.-1.9
R
’0 193d[(•)-2 ( )]TJ-0.001 Tc 3006 Tw 1.31.237 Td[(R)-1.5 (e)-3 (liab)2.3 (le)-3 ( r)11.1 (e)-3 (g)2.6 (i)2.2-3 (h)2.4-3 (e)7.9adintekJ0 -1.yr

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 00000 | No comorbid conditions or complications7 imiois7iic |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Comorbidities and Complications #3 (Secondary Diagnoses)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3130 | 5 | 00100–13980, 24000–99990, E8700–E8799, E9300–E9499, V0720–V0739, V1000–V1590, V2220–V2310, V2540, V4400– V4589, V5041–V5049, Blank | 2002-2017 | 06/05, 01/11, 01/12, 01/13, 01/15, 01/18 |

## Description

Records the patient's preexisting medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. All are considered secondary diagnoses.

## Rationale

Preexisting medical conditions, factors influencing health status, and/or complications may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality of care.

## Coding Instructions

- Use this item to record ICD-9-CM codes. Use Secondary Diagnosis #3 [3784] to record ICD-10-CM codes. During adoption of ICD-10-CM codes, it is possible both will appear in the same patient record.
- If only two comorbid conditions or complications are listed, then leave this data item blank.
- If only three comorbid conditions or complications are listed, then code the diagnoses listed and leave the remaining Comorbidities and Complications items blank.
- For further Instructions for Coding, see Comorbidities and Complications #1 [3110].

| Code | Label |
|---|---|
| 00100–13980, 24000–99990 | Comorbid conditions: Omit the decimal point between the third and fourth characters. |
| E8700–E8799, E9300–E9499 | Complications: Omit the decimal point between the fourth and fifth characters. |
| V0720–V0739, V1000–V1590, V2220–V2310, V2540, V4400–V4589, V5041–V5049 | Factors affecting health status: Omit the decimal point between the fourth and fifth characters. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Comorbidities and Complications #5 (Secondary Diagnoses)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3150 | 5 | 00100–13980, 24000–99990, E8700–E8799, E9300–E9499, V0720–V0739, V1000–V1590, V2220–V2310, V2540, V4400– V4589, V5041–V5049, Blank | 2002-2017 | 06/05, 01/11, 01/12, 01/13, 01/15, 01/18 |

## Description

Records the patient's preexisting medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. All are considered secondary diagnoses.

## Rationale

Preexisting medical conditions, factors influencing health status, and/or complications may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality of care.

## Coding Instructions

- Use this item to record ICD-9-CM codes. Use Secondary Diagnosis #5 [3788] to record ICD-10-CM codes. During adoption of ICD-10-CM codes, it is possible both will appear in the same patient record.
- If only four comorbid conditions or complications are listed, then leave this data item blank.
- If only five comorbid conditions or complications are listed, then code the diagnoses listed and leave the remaining Comorbidities and Complications items blank.
- For further Instructions for Coding, see Comorbidities and Complications #1 [3110].

| Code | Label |
|---|---|
| 00100–13980, 24000–99990 | Comorbid conditions: Omit the decimal point between the third and fourth characters. |
| ~~E8700–E8799, E9300–E9499~~ | Complications: Omit the decimal point between the fourth and fifth characters. |
| V0720–V0739, V1000–V1590, V2220–V2310, V2540, V4400–V4589, V5041–V5049 | Factors affecting health status: Omit the decimal point between the fourth and fifth characters. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Comorbidities and Complications #10 (Secondary Diagnoses)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|

# Secondary Diagnosis #3 (Secondary Diagnoses)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3784 | 7 | 0000000; all values beginning with A-B, E, G-P, R-S; and the following ranges: T36-T50996ZZ, U070-U071, Y62- Y849ZZZ, Z1401-Z229ZZZ, Z681- Z6854ZZ, Z751-Z753, Z80-Z809ZZZ, Z8500-Z9989ZZ, Blank | 2015+ | 01/15, 02/21, 01/22 |

## Description

Records the patient's preexisting medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-10-CM values.

## Rationale

Preexisting medical conditions, factors influencing health status, and/or complications may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality of care.

## Coding Instructions

- Use this item to record ICD-10-CM codes. Use Comorbidities and Complications #3 [3130] to record ICD-9-CM codes. During the adoption of ICD-10-CM codes, it is possible both will appear in the same patient record.
- Note that, while the ICD-9-CM Comorbidities and Complications codes were to be followed by zeroes if they did not fill the field, only the actual ICD-10-CM code is to be entered for Secondary Diagnosis fields, leaving blanks beyond those characters.
- Omit the decimal points when coding.
- If fewer than 10 ICD-10-CM secondary diagnoses are listed, then code the diagnoses listed, and leave the remaining Secondary Diagnosis data items blank.

## Examples

| Code | Reason |
|---|---|
| J449 | Chronic obstructive pulmonary disease, unspecified (ICD-10-CM code J44.9) |
| E119 | Type 2 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Secondary Diagnosis #6 (Secondary Diagnoses)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Secondary Diagnosis #8 (Secondary Diagnoses)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3794 | 7 | 0000000; all values beginning with A-B, E, G-P, R-S; and the following ranges: T36-T50996ZZ, U070-U071, Y62- Y849ZZZ, Z1401-Z229ZZZ, Z681- Z6854ZZ, Z751-Z753, Z80-Z809ZZZ, Z8500-Z9989ZZ, Blank | 2015+ | 01/15, 02/21, 01/22 |

## Description

Records the patient's preexisting medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this ca0 Tc 0 Tg f15.96 1M.6 (o)-6 (o)-6.atexax7 (u)-0

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# NPI–Primary Surgeon

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 2485 | 10 | 10 digits, Blank | 2008+ | 04/07, 09/08, 01/11 |

## Description

Identifies the physician who performed the most definitive surgical procedure.

## Rationale

Administrative, physician, and service referral reports are based on this item.

## Coding Instructions

- Record the 10-digit NPI for the physician who performed the most definitive surgical procedure.
- Check with the billing or health information departments to determine the physician's NPI or search at https://nppes.cms.hhs.gov/.
- NPI should be recorded as available for cases diagnosed during 2007 and is required to be recorded for all cases diagnosed re(d)]0.001 Tw3.1.(st)later.1, 2008, and
- NPI may be blank for cases diagnosed on or before December 31, 2006.
- information should not be changed or updated even if the patient receives care from another surgeon.

| | Label |
|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF

# NPI–Physician #4 (Medical Oncologist–CoC Preferred)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 2505 | 10 | 1 10 digits, Blank | 2008+ | 4/07, 9/08, 1/10, 1/11, |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Cancer Identification

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- “In-

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 36 | Type of case not required by CoC to be accessioned (for example, a benign colon tumor) AND initial diagnosis elsewhere AND all or part of first course treatment by reporting facility |
| 37 | Case diagnosed before the |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# NPI–Institution Referred To

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 2425 | 10 | 10 digits, Blank | 2008+ | 04/07, 09/08, 01/11 |

## Description

Identifies the facility to which the patient was referred for further care after discharge from the reporting facility.

## Rationale

Each facility's NPI is unique. This number is used to document and monitor referral patterns.

## Coding Instructions

- Record the 10-digit NPI for the facility to which the patient was referred.
- NPI should be recorded as available for cases diagnosed during 2007, and is required to be recorded for all cases diagnosed January 1, 2008, and later.
- NPI may be blank for cases diagnosed on or before December 31, 2006.
- Check with the registry, billing, or health information departments of the facility to determine its NPI or search on https://nppes.cms.hhs.gov/#/ .

| Code | Label |
|---|---|
| (fill spaces) | 10-digit NPI number for the facility. |
| (leave blank) | NPI for the facility referred to is unknown or not available. |
| (leave blank) | If the patient was not referred to another facility. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Examples

| Code | Label | Definition |
|---|---|---|
| 20090914 | September 14, 2009 | Patient undergoes a biopsy in a staff physician's office on September 8, 2009. The pathology specimen was sent to the reporting facility and was read as malignant melanoma. The patient enters that same reporting facility on September 14, 2009 for wide re-excision. |
| 20101207 | December 7, 2010 | Patient has an MRI of the brain on December 7, 2010, for symptoms including severe headache and disorientation. The MRI findings are suspicious for astrocytoma. Surgery on December 19 removes all gross tumor. |
| 20110499 | April 2011 | Information is limited to the description "Spring," 2011. |
| 20110799 | July 2011 | Information is limited to the description "The middle of the year," 2011. |
| 20111099 | October 2011 | Information is limited to the description "Fall," 2011. |
| CCYY1299 or CCYY0199 | December or | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Date of Initial Diagnosis

**Item #** 4/6

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Primary Site

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Laterality

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 410 | 1 | 0-5, 9 | All Years | 01/10, 05/10, 01/13 |

## Description

Identifies the side of a paired organ or the side of the body on which the reportable tumor originated. This applies to the primary site only.

## Rationale

Laterality supplements staging and extent of disease information and defines the number of primaries involved.

## Coding Instructions

- Code laterality for all paired sites. (See Section One for additional information.)
- Do not code metastatic sites as bilateral involvement.
- If both lungs have nodules or tumors and the lung of origin is not known, assign code 4.
- Where the right and left sides of paired sites are contiguous (come into contact) and the lesionis at the point of contact of the right and left sides, use code 5, midline. Note that “midline of the right breast” is coded 1, right; midline in this usage inOns Tw 7

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Grade Clinical

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3843 | 1 | 1-5, 8, 9, A, B, C, D, E, L, H, M, S | 2018+ | 01/18 |

## Description

This data item records the grade of a solid primary tumor before any treatment (surgical resection or initiation of any treatment including neoadjuvant).

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

tumors. Most commonly, the specific histologic type is diagnosed by immunophenotyping or genetic testing See the Hematopoietic Database (DB) for information on the definitive diagnostic confirmation for specific types of tumors.

- Use code 2 when the microscopic diagnosis is based on cytologic examination of cells (rather than tissue) including but not limited to spinal fluid, peritoneal fluid, pleural fluid, urinary sediment, cervical smears and vaginal smears, or from paraffin block specimens from concentrated spinal, pleural, or peritoneal fluid. These methods are rarely used for hematopoietic or lymphoid tumors.
- Assign code 3 when there is a histology positive for cancer AND positive immunophenotyping and/or positive genetic testing results. Do not use code 3 for neoplasms diagnosed prior to January 1, 2010.
- Assign code 5 when the diagnosis of cancer is based on laboratory tests or marker studies which are clinically diagnostic for that specific cancer, but no positive histologic confirmation.
- Assign code 6 when the diagnosis is based only on the surgeon's report from a surgical exploration

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

© 2022

© 2022 AMERICAN COLLEGE OF

| | |
|---|---|
| 00250 | Bile Ducts Perihilar |
| 00260 | Bile Ducts Distal |
| 00270 | Ampulla Vater |
| 00280 | Pancreas |
| 00290 | NET Stomach |
| 00301 | NET Duodenum |
| 00302 | NET Ampulla of Vater |
| 00320 | NET Appendix |
| 00330 | NET Colon and Rectum |
| 00340 | NET Pancreas |
| 00350 | Thymus |
| 00360 | Lung |
| 00460 | Merkel Cell Skin |
| 00470 | Melanoma Skin |
| 00500 | Vulva |
| 00510 | Vagina |
| 00520 | Cervix |
| 00530 | Corpus Carcinoma |
| 00541 | Corpus Sarcoma |
| 00542 | Corpus Adenosarcoma |
| 00560 | Placenta |
| 00570 | Penis |
| 00590 | Testis |
| 00620 | Bladder |

d. Lymphovascular invasion must be coded 0, 2, 3, 4, or 9 for the Schema IDs in the following list:

| | |
|---|---|
| 00730 | Thyroid |
| 00740 | Thyroid medullary |
| 00760 | Adrenal gland |

e. Lymphovascular invasion may be coded any code (0, 1, 2, 3, 4, 8, or 9) for the remaining Schema IDs (shown in the following list):

| | |
|---|---|
| 00060 | Cervical Lymph Nodes, Occult Head and Neck |
| 00090 | Nasopharynx |
| 00118 | Pharynx Other |
| 00119 | Middle Ear |
| 00128 | Sinus Other |
| 00140 | Melanoma Head and Neck |
| 00150 | Cutaneous Carcinoma Head and Neck |
| 00210 | Anus |
| 00220 | Liver |
| 00241 | Gallbladder |
| 00242 | Cystic Duct |
| 00278 | Biliary Other |
| 00288 | Digestive Other |
| 00310 | Net Jejunum and Ileum |
| 00358 | Trachea |
| 00370 | Pleural Mesothelioma |
| 00378 | Respiratory Other |

Cystic Duct Rato6 (y O)4.4 (t)2.6 (he)9 (s)]TJ0 Tc2 Tc 0 T

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| | |
|---|---|
| 00421 | Soft Tissue Abdomen and Thorax |
| 00422 | Heart, Mediastinum, and Pleura |
| 00430 | GIST (2018- |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Macroscopic Evaluation of the Mesorectum

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3950 | 2 | 00, 10,20, 30, 40, 99 or Blank | 2022+ | 01/22, 01/23 |

## Description

This data item records whether a Total Mesorectal Excision (TME) was performed and the macroscopic evaluation of the completeness of the excision. Collect on all cases after implementation date regardless of date of diagnosis.

## Rationale

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Date of Sentinel Lymph Node Biopsy

| Item # | Length | |
|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- When the sentinel lymph node biopsy is performed during the same procedure as the regional node dissection the CAP Protocol for Melanoma captures both the number of positive sentinel nodes as well as the number of positive regional nodes (i.e., the number of positive sentinel nodes is captured).
- The number of sentinel lymph nodes biopsied and found positive will typically be found in the pathology report; radiology reportrepo (rt)4.2 (.)-(1)10 (,TdicyC2_0 re)-3

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Regional Lymph Nodes Examined

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 830 | 2 | 00–90, 95–99 | All Years | 09/06, 01/10, 2/21, 01/22, 1/23 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Regional Lymph Nodes Positive

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 820 | 2 | 00–99 | All Years | 09/06, 01/10, 2/21, 01/22, 1/23 |

## Description

Records the exact number of regional lymph nodes examined by the pathologist and found to contain metastases. Beginning with cases diagnosed on or after January 1, 2004, this item became a component of the Collaborative Staging System (CS). In 2016, use of CS was discontinued, however this data item continued to be required.

## Rationale

This data item is necessary for pathological staging, and it serves as a quality measure for pathology reports and the extent of the surgical evaluation and treatment of the patient.

## Coding Instructions

- **Regional lymph nodes only.** Record information about only regional lymph nodes in this field. Distant lymph node information should not be coded in this field.
- This field is **based** on pathologic information only. This field is to be recorded regardless of whether the patient received preoperative treatment.
- **Cumulative nodes positive.** Record the total number of regional lymph nodes removed and found to be positive by pathologic examination.
  - The number of regional lymph nodes positive is cumulative from all procedures that remove lymph nodes through the completion of surgeries in the first course of treatment.
  - Do not count a positive aspiration or core biopsy of a lymph node in the same lymph node chain removed at surgery as an additional node in Regional Nodes Positive when there are positive nodes in the resection. In other words, if there are positive regional lymph nodes in a lymph node dissection, do not count the core needle biopsy or the fine needle aspiration if it is in the same chain. See also Use of Code 95 below.
  - If the aspiration or core biopsy is from a node in a different node region, include the node in the count of Regional Nodes Positive.
  - If the location of the lymph node that is core-biopsied or aspirated is not known, assume it is part of the lymph node chain surgically removed, and do not include it in the count of Regional Nodes Positive.
- **Priority of lymph node counts.**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Tumor Size and Mets

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**1.9618r. m29(H)i (m)- as6 (H)9.4 (1.96/TT3 0 f( )33.0T53H)iCP94T164d(1.9o5/ 5 .9o53.0T53H5[(9o5/ .9o53.0T53H5[t9**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

16. Tumor size is also important for staging for the following sites/schemas and schema IDs:
**Schema (Schema ID)**

| | |
|---|---|
| 00760 | Adrenal Gland |
| 00210 | Anus |
| 00260 | Bile Duct Distal |
| 00230 | Bile Ducts Intrahepat |
| 00381 | Bone Appendicular Skeleton |
| 00383 | Bone Pelvis |
| 00480 | Breast |
| 00076 | Buccal Mucosa |
| 00520 | Cervix |
| 00650 | Conjunctiva |
| 00541 | Corpus Sarcoma |
| 00150 | Cutaneous Carcinoma of Head and Neck |
| 00074 | Floor of Mouth |
| 00430 | GIST |
| 00073 | Gum |
| 00112 | Hypopharynx |
| 00600 | Kidney Parenchyma |
| 00690 | Lacrimal Gland |
| 00071 | Lip |
| 00220 | Liver |
| 00360 | Lung |
| 00080 | Major Salivary Glands |
| 00460 | Merkel Cell Skin |
| 00077 | Mouth Other |
| 00770 | NET Adrenal Gland |
| 00320 | NET Appendix |
| 00330 | NET Colon and Rectum |
| 00340 | NET Pancreas |
| 00290 | NET Stomach |
| 00700 | Orbital Sarcoma |
| 00111 | Oropharynx (p16-) |
| 00100 | Oropharynx HPV-Mediated (p16+) |
| 00075 | Palate Hard |
| 00280 | Pancreas |
| 00812 | Primary Cutaneous Lymphomas (excluding Mycosis Fungoides) |
| 00440 | Retroperitoneum |
| 00640 | Skin Eyelid |
| 00400 | Soft Tissues Head and Neck |
| 00410 | Soft Tissues Trunk and Extremities |
| 00730 | Thyroid |
| 00740 | Thyroid Medullary |
| 00072 | Tongue Anterior |
| 00510 | Vagina |
| 00500 | Vulva |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Mets at Diagnosis – Bone

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1112 | 1 | 0, 1, 8, 9 | 2016+ | 01/16, 02/21, 01/22, 1/23 |

## Description

This data item identifies whether bone is an involved metastatic site. The six Mets at Dx-Metastatic Sites data items provide information on specific metastatic sites for data analysis.

## Rationale

Information on site of metastatic disease at diagnosis has prognostic implications to survival among patients with initial late stage disease. Capturing data on where the patient's metastatic lesions (including the number of locations) will be an important variable to include when looking at survival. Survival among metastatic patients is becoming increasingly important for cancer survivors. CoC requires this data item be recorded in its accredited program cancer registries beginning with cases diagnosed January 1, 2016.

## Coding Instructions

1. **Code information about bone metastases only** (discontinuous or distant metastases to bone) identified at the time of diagnosis. This data item should not be coded for bone marrow involvement.
    a. Bone involvement may be single or multiple
    b. Information about bone involvement may be clinical or pathological
    c. Code this data item for bone metastases even if the patient had any preoperative systemic therapy
    d. This data item should be coded for all solid tumors, Kaposi sarcoma, Unknown Primary Site, and Other and Ill-Defined Primary Sites1 (o)-6.6 (u)2(o)4.2 (rs)-d I 205i (Idii(9 (a it)-3 (e0

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

c. Use code 1 when the medical record
    i. indicates that the patient has distant (discontinuous) metastases and bone is mentioned as an involved site
    ii. indicates that bone is the primary site and there are metastases in a different bone or bones
    iii. do not assign code 1 for a bone primary with multifocal bone involvement of the same bone
    iv. indicates that the patient is diagnosed as an unknown primary (C80.9) and bone is mentioned as a distant metastatic site
d. Use code 8 (Not applicable) for the following site/histology combinations for which a code for distant metastasis is not clinically relevant
    i. Use code 8 when primary site is C420, C421, C423, C424 or histology is

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

c. Use code 1 when the medical record
    i. indicates that the patient has distant (discontinuous) metastases and distant lymph node(s) are mentioned as an involved site
    ii. indicates that the patient is diagnosed as an unknown primary (C80.9) and distant lymph node(s) are mentioned as a metastatic site
d. Use code 8 (Not applicable) for the following site/histology combinations for which a code for distant metastasis is not clinically relevant.
    i. Use code 8 when primary site is C420, C421, C423, C424, C770-C779 or histology is 9671, 9734, 9731 or 9761 for any primary site.
e. Use code 9 when it cannot be determined from the medical record whether the patient specifically has distant lymph node metastases; for example, when there is documentation of carcinomatosis but distant lymph node(s) are not specifically mentioned as a metastatic site. In other words, use code 9 when there are known distant metastases but it is not known whether the distant metastases include distant lymph node(s).

| Code | Label |
|---|---|
| 0 | None; no distant lymph node metastases |
| 1 | Yes; distant lymph node metastases |
| 8 | Not applicable |
| 9 | Unknown whether distant lymph node(s) are involved metastatic site<br>Not documented in patient record |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

©

d. Use code 8 (Not applicable) for the following site/histology combinations for which a code for distant metastasis is not clinically relevant
    i. Use code 8 when primary site is C420, C421, C423, C424 or histology is 9671, 9734, 9731 or 9761 for any primary site.
e. Use code 9 when it cannot be determined from the medical record whether the patient specifically has lung metastases; for example, when there is documentation of carcinomatosis but lung is not specifically mentioned as a metastatic site. In other words, use code 9 when there are known distant metastases but it is not known whether the distant metastases include lung.

| Code | Label |
|---|---|
| 0 | None; no lung metastases |
| 1 | Yes; distant lung metastases |
| 8 | Not applicable |
| 9 | Unknown whether lung is involved metastatic site<br>Not documented in patient record |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# AJCC TNM Post Therapy Clin (yc) N

| Item # | Length | Allowable Values | Required Status | ne |
|---|---|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Grade Post Therapy Clin (yc)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1068 | 1 | 1- | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# AJCC TNM Path T Suffix

| Item # | Length | Allowable Values | Required |
|---|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## AJCC TNM Path N

| Item # | Length | Allowas4 Tc ae Va4 Tc aues |
|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# AJCC TNM Path N Suffix

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1035 | 4 | (sn), (f), Blank | 2018+ | 01/18 |

## Description

Identifies the AJCC TNM pathological N suffix for the tumor ***following*** the completion of surgical therapy. Stage suffices identify special cases that need separate analysis. Suffices are adjuncts to and do not change the stage group.

## Rationale

The CoC requires that AJCC TNM staging be used in its accredited cancer programs. The CoC requires that AJCC TNM staging be recorded in its accredited program cancer registries. The AJCC developed this staging system for evaluating trends in the treatment and control of cancer. This staging system is used by physicians to estimate prognosis, plan treatment, evaluate new types of therapy, analyze outcomes, design follow-up strategies, and to assess early detection results.

## Coding Instructions

x

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED



# AJCC TNM Post Therapy Path (yp) M



© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Site-Specific Data Items

For cases diagnosed on January 1, 2018 and later, use of the Collab41L.6 (o)-6.6 r(at)-3 ileSe(C Site

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Date of First Surgical Procedure

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1200 | 8 | CCYYMMDD, Blank | <1996, 2002+ | 01/10, 01/11, 02/21, 01/23 |

## Description

61

Records the earliest date on which any first course surgical procedure was performed. Formerly called “Date of Cancer-Directed Surgery.” 0tidieii-id6 (i)2a 0 Tw l 0 2 Ti 0 Tw tc 0 2 T4s(o)-cidte-m[(0)v]TJ5dd0d-

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- Clinical Margin Width [3961] collected in the Site-Specific Data Item following SEER coding rules and instructions.
- For melanoma skin surgical codes ONLY:
    - o

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Rx Summ-Surg Breast

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 10105 | 4 | B000, B200- | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Examples

| Code | Reason |
|---|---|
| B000 | Patient diagnosed 2022 by way of needle core biopsy but declined primary site breast resection. |
| B240 | Patient diagnosed 2022 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Rx Hosp-- Recon Breast

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 10106 | 4 | A000, A100-A640, A900-A980, A990, Alphanumeric, Blank | 2022 | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Codes and Code Definitions

| | |
|---|---|
| A000 | No Reconstruction |
| **NOTE:** Code A000 when no immediate reconstruction was performed at any facility. | |
| A100 | Tissue expander placement |
| **NOTE**: Code A100 when tissue expanders were placed without implant or tissue placement. | |
| A200 | Direct to implant placement |

**NOTE**: Code A200 when a permanent implant is placed immediately following resection.

**Example:**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Codes and Code Definitions

| | |
|---|---|
| A000 | No Reconstruction |
| **NOTE:** Code A000 when no immediate reconstruction was performed at any facility. | |
| A100 | Tissue expander placement |
| **NOTE**: Code A100 when tissue expanders were placed without implant or tissue placement. | |
| A200 | Direct to implant placement |

**NOTE:** Code A200 when a permanent implant is placed immediately following res.92 631.0tEanens.92 631

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Examples

| Code | Reason |
|---|---|
| 0 | Patient received radiation at this facility after having surgery elsewhere |
| 3 | Endoscopic surgery was performed |
| 3 | Patient treated with RFA of kidney |
| 5 | The surgical report described conventional open surgery, but did not use the term “open” |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Surgical Margins of the Primary Site

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1320 | 1 | 0-3, 7-9 | All Years | 08/02, 01/10, 02/10, 01/13, 02/21 |

## Description

Records the final status of the surgical margins after resection of the primary tumor.

## Rationale

This data item serves as a quality measure for pathology reports and is used for staging and may be a prognostic factor in recurrence.

## Coding Instructions

- Record the margin status as it appears in the pathology report.
- Codes 0–3 are hierarchical; if two codes describe the margin status, use the numerically higher code.
- Code 7 if the pathology report indicates the margins could not be determined.
- If no surgery of the primary site was performed, code 8.
- Code 9 if the pathology report makes no mention of margins or no tissue was sent to pathology.
- Code 9 if the Rx Summ – Surg 2023 (#1291) is coded to A980 (not applicable)
- Code 9 for:
  - Any cases coded to primary sites C420, C421, C423, C424, C760-C768, C770-C779,C809

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

©

**Code Label 0 11.04 105.12 717 n9-1 (l 0 11.04 105.12 717 g/TT2 1 Tf 55.68 169 26.16 Tm )Tj4f.]TJ0 Tw 4 35.64 22.081 0**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | General Instructions Applying to All Sites | Additional Notes Specific to Breast (C50.x) |
|---|---|---|---|
| Codes 3 -5 are used for regional lymph node dissection/removal; these do NOT include sentinel lymph node biopsy (SLNBx). | | | |
| 3 | Number of regional lymph nodes removed unknown or not stated; regional lymph nodes removed, NOS | The operative report states that a regional lymph node dissection was performed (a SLNBx was not done during this procedure or in a prior procedure).<br>Code 3 (Number of regional lymph nodes removed unknown, not stated; regional lymph nodes removed, NOS).<br>Check the operative report to ensure this procedure is not a SLNBx only (code 2), or a SLNBrnta5d(n)-0 001 (e r)3.2.6 (f)04r | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | General Instructions Applying to All Sites | Additional Notes Specific to Breast (C50.x) |
|---|---|---|---|
| 6 | Sentinel node biopsy and code 3, 4, or 5 at same time, or timing not stated | SLNBx and regional lymph node dissection (code 3, 4, or 5) during the same surgical event, or timing not known. Generally, look for a report to the Operating Room (OR) by the pathologist on the SLNBx results prior to the regional node dissection. If the SLNBx shows positive nodes, then a dissection may be done. If the nodes are negative, it is rare that a node dissection is performed.<br>Generally, SLNBx followed by a regional lymph node completion will yield a relatively large number of nodes. However it is possible for these procedures to harvest only a few nodes.<br>If relatively few nodes are pathologically examined, review the operative report to confirm whether the procedure was limited to a SLNBx only.<br>Infrequently, a SLNBx is attempted and the patient fails to map (i.e. no sentinel lymph nodes are identified by the dye and/or radio label injection.) When mapping fails, the surgeon usually performs a more extensive dissection of regional lymph nodes. Code these cases as 6. | SLNBx and regional lymph node dissection (code 3, 4, or 5) during the same surgical event, or timing not known. Generally, look for a report to the Operating Room (OR) by the pathologist on the SLNBx results prior to the regional node dissection. If the SLNBx shows positive nodes, then a dissection may be done. If the nodes are negative, it is rare that a node dissection is performed.<br>Generally, SLNBx followed by ALND will yield a minimum of 7-9 nodes. However it is possible for these procedures to harvest fewer (or more) nodes.<br>If relatively few nodes are pathologically examined, review the operative report to confirm whether the procedure was limited to a SLNBx, or whether a SLNBx plus an ALND was performed. |
| 7 | Sentinel node biopsy and code 3, 4, or 5 at different times | SLNBx and regional lymph node dissection (code 3, 4, or 5) in separate surgical events.<br>Generally, SLNBx followed by regional lymph node completion will yield a relatively large number of nodes. However, it is possible for these procedures to harvest only a few nodes.<br>If relatively few nodes are pathologically examined, review the operative report to confirm whether the procedure was limited to a SLNBx only. | Generally, SLNBx followed by ALND will yield a minimum of 7- 9 nodes. However, it is possible for these procedures to harvest fewer (or more) nodes.<br>If relatively few nodes are pathologically examined, review the operative report to confirm whether the procedure was limited to a SLNBx only, or whether a SLNBx plus an ALND was performed. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | o896 58.04 23i0 9.96 531.68 705.14 183.72 30.84 refE 4MCI 0 4ED |
|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | General Instructions Applying to All Sites | Additional Notes Specific to Breast (C50.x) |
|---|---|---|---|
| 6 | | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| | | |
|---|---|---|
| 4 | Non-primary surgical procedure to distant site | Resection of distant site. |
| 5 | Combination of codes | Any combination of surgical procedures 2, 3, or 4. |
| 9 | Unknown | It is unknown whether any surgical procedure of a nonprimary site was performed. Death certificate only. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Surgical Procedure/Other Site at this Facility

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|

| | | |
|---|---|---|
| 4 | Non-primary surgical procedure to distant site | Resection of distant site. |
| 5 | Combination of codes | Any combination of surgical procedures 2, 3, or 4. |
| 9 | Unknown | It is unknown whether any surgical procedure of a non-primary site was performed. Death certificate only. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Date of Surgical Discharge

| Item # | Length | Allowable Values | Required |
|---|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Readmission to the Same Hospital within 30 Days of Surgical Discharge

## Description

Records a readmission to the same hospital, for the same illness, within 30 days of discharge following hospitalization for surgical resection of the primary site.

## Rationale

This data item provides information related to the quality of care. A patient may have a readmission related to the primary diagnosis on discharge if the length of stay was too short, and then he/she needed to return due to problems or complications. A patient may also need to be readmitted if discharge planning and/or follow-up instructions were ineffective. It is important to distinguish a planned from an unplanned readmission, since a planned readmission is not an indicator of quality of care problems.

## Coding Instructions

- Consult patient record or information from the billing department to determine if a readmission to the same hospital occurred within 30 days of the date recorded in the item Date of Surgical Discharge [3180].
- Only record a readmission related to the treatment of this cancer.
- Review the treatment plan to determine whether the readmission was planned.
- If there was an unplanned admission following surgical discharge, check for an ICD-9-CM "E" code and record it, space allowing, as an additional Comorbidities and Complications [3110, 3120, 3130, 3140, 3150, 3160, 3161, 3162, 3163, 3124] for cases diagnosed between 2003 and 2017. For cases diagnosed January 1, 2018 and later, check for an ICD-10-CM "Y" codes and record it, space allowing, as an additional Secondary Diagnosis 1-10 [3780, 3782, 3784, 3786, 3788, 3790, 3792, 3794, 3796, 3798].
- There may be times when the first course of treatment information is incomplete. Therefore, it is important to continue follow-up efforts to be certain the complete treatment information is collected.

| Code | Label |
|---|---|
| 0 | No surgical procedure of the primary site was performed, or the patient was not readmitted to the same hospital within 30 days of discharge. |
| 1 | A patient was surgically treated and was readmitted to the same hospital within 30 days of being discharged. This readmission was unplanned. |
| 2 | A patient was surgically treated and was then readmitted to the same hospital within 30 days of being discharged. This readmission was planned (chemotheo230.8 (i)-3.2 (s)-4.368 Te/P <</ w6 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF

# Reason for No Surgery of Primary Site

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1340 | 1 | [redacted] | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 8 | Surgery of the primary site was recommended, but it is unknown if it was performed. Further follow-up is recommended. |
| 9 | It is unknown whether surgery of the primary site was recommended or performed. Death certificate only. |

## Examples

| Code | Reason |
|---|---|
| 2 | A patient with a primary tumor of the liver is not recommended for surgery due to advanced cirrhosis. |
| 8 | A patient is referred to another facility for recommended surgical resection of a gastric carcinoma, but further information from the facility to which the patient was referred is not available. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Location of Radiation Treatment

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1550 | 1 | 0-4, 8, 9 | 2003+ | 01/04, 01/12, 01/18, 02/21, 1/23 |

## Description

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | Definition |
|---|---|---|
| 24 | Sinuses/Nasal tract | Treatment is directed at all or a portion of the sinuses and nasal tract, |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

© 2022

- This data item, in conjunction with Phase I-II Radiation External Beam Planning Technique [1502, 1512], replaces the Rad--Regional RX Modality [1570], Rad--

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Phase I-II-III External Beam Radiation Planning Technique

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1502 | 2 | 00-10, 88, 98, 99, Blank | All Years | 01/18, 02/21, 01/22, 01/23 |
| 1512<br><br>1522 | 2 | 00-10, 88, 98, 99, Blank | All Years | 01/18, 02/21, 01/23 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

## Examples

| Code | Reason |
|---|---|
| 04 | A man with prostate cancer is initially treated with whole pelvis RT using a four-field approach, all fields shaped conformally to pelvic anatomy. He then was treated with an IMRT boost. Record the Phase I External Beam Radiation Planning Technique as 04 (Conformal or 3-D conformal therapy) |
| 03 | A woman with advanced multiple myeloma is referred for total body irradiation and is treated twice daily for three consecutive days in a total body stand at extended distance with open rectangular photon fields, 200cGy to mid-body per treatment. Record the Phase I External Beam Radiation Planning Technique as 03 (2-D therapy) |
| 88 | Record 88 as the Phase I External Beam Radiation Planning Technique for any phase uses radioisotopes or brachytherapy (e.g. I-131 radioiodine for thyroid cancer, brachytherapy for prostate cancer). |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Phase I-II-III Total Dose

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1507 | 6 | 000000-999999, Blank | All Years | 01/18, 02/21, 1/22, 01/23 |
| 1517 | 6 | 000000-999999, Blank | | |

# Number of Phases of Radiation Treatment

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1532 | | | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Examples

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Radiation Course Total Dose

| Item # | Length | Allowable Values |
|---|---|---|

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 000000 | No radiation treatment. Diagnosed at autopsy |
| 000001-999997 | Record the actual total dose delivered in cGy |
| 999998 | Not applicable, radioisotopes administered to the patient, or the patient was treated with a mixed modalities (e.g. external beam and brachytherapy). |
| 999999 | Radiation therapy was administered, but the total dose is unknown; it is unknown whether radiation therapy was administered |

## Examples

| Code | Reason |
|---|---|
| 006040 | A patient with breast cancer was treated with whole breast RT, 5040 cGy in 28 fractions. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Radiation/Surgery Sequence

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1380 | 1 | 0, 2-7, 9 | 2003+ | 01/04, 01/10, 01/11, 01/12, 02/21, 01/23 |

## Description

Records the sequencing of radiation and surgical procedures given as part of the first course of treatment.

## Rationale

The sequence of radiation and surgical procedures given as part of the first course of treatment cannot always be determined using the date on which each modality was started or performed. This data item can be used to more precisely evaluate the timing of delivery of treatment to the patient.

## Coding Instructions

- For the purpose of coding the data item Radiation Sequence with Surgery, 'Surgery' is defined as a Surgical Procedure of Primary Site (codes 10-90) or Scope of Regional Lymph Node Surgery (codes 2- 7) or Surgical Procedure of Other Site (codes 1-5).

- Surgical procedures include Rx Summ – Surg 2023 [1291]; Scope of Regional Lymph Node Surgery [1292] (excluding code 1); Surgical Procedure/Other Site [1294]. If all these procedures are coded 0, or it is not known whether the patient received both surgery and radiation, then this item should be coded 0.

- If the patient received both radiation therapy and any one or a combination of the following surgical procedures:

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label | Definition |
|---|---|---|
| 3 | Radiation therapy after surgery | Radiation therapy given after surgery to primary site; scope of regional lymph node surgery, surgery to other regional site(s), distant site(s), or distant lymph node(s). |
| 4 | Radiation therapy both before and after surgery | At least two phases of radiation therapy are given before and at least two more after surgery to the primary site; scope of regional lymph node surgery, surgery to other regional site(s), distant site(s), or distant lymph node(s). |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## adiation Ended

| | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| | 8 | CCYYMMDD, Blank | 2003+ | l17Tj 0785Q Talw0d739 0 |

AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

represents the start of subsequent therapy, and only the original agent or regimen is recorded as first course therapy.

- Refer to the SEER*Rx Interactive Drug Database (https://seer.cancer.gov/tools/seerrx/) for a list of chemotherapeutic agents.
- If chemotherapy was provided as a radiosensitizer or radioprotectant DO NOT code as chemotherapy treatment. When chemotherapy is given for radiosensitization or radioprotection it is given in low doses that do not affect the cancer.
- If chemotherapy was provided to prolong a patient's life by controlling symptoms, to alleviate pain, or to make the patient more comfortable, then also record the chemotherapy administered in the item Palliative Care [3270].
- **Important information affecting classification of some systemic therapies**. The six drugs listed in the table below were previously classified as Chemotherapy and are now classified as BRM/Immunotherapy. **This change is effective for cases diagnosed January 1, 2013, and forward.** For cases diagnosed prior to January 1, 2013, registrars have been instructed to continue coding these drugs as Chemotherapy. Coding instructions related to this change have been added to the remarks field for the applicable drugs in SEER*Rx Interactive Drug Database.

CCjE.

| Drug Name(s) | Category Prior to 2013 | Category 2013 + |
|---|---|---|
| Alemtuzumab/Campath | Chemotherapy | BRM/Immunotherapy |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- Refer to the SEER*Rx Interactive Drug Database (https://seer.cancer.gov/tools/seerrx/) for a list of chemotherapeutic agents.
- If chemotherapy was

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Date Hormone Therapy Started

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1230 | 8 | CCYYMMDD, Blank | 1996-2002, 2010+ | 01/11, 01/12, 1/23 |

## Description

Records the date of initiation of hormone therapy that is part of the first course of treatment.

## Rationale

Collecting dates for each treatment modality allows the sequencing of multiple treatments and aids in the evaluation of time intervals from diagnosis to treatment and from treatment to recurrence.

## Coding Instructions

- Record the first or earliest date on which hormone therapy was administered by any facility. This date corresponds to administration of the agents coded in Hormone Therapy [1400].
- This item was required in the past but discontinued in FORDS as a required item in 2003. If the date was not collected between 2003 and 2009,2.6 ( )12.6 ( t)7.,-0.8 ( .1 ( h4o)-6.6)-1.3 ( an)2.b ( t)-2.9 (h)-3 (ip)3 (n)2.2 .9 (

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Hormone Therapy (Hormone/Steroid Therapy)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1400 | 2 | 00, 01, 82, 85-88, 99 | All Years | 06/05, 09/08, 01/10, 01/13 |

## Description

Records the type of hormone therapy administered as first course treatment at this and all other facilities. If hormone therapy was not administered, then this item records the reason it was not administered to the patient. Hormone therapy consists of a group of drugs that may affect the long-term control of a cancer's growth. It is not usually used as a curative measure.

## Rationale

Systemic therapy may involve the administration of one or a combination of agents. This data item allows for the evaluation of the administration of hormonal agents as part of the first course of therapy. In addition, when evaluating the quality of care, it is useful to know the reason if hormone therapy was not administered.

## Coding Instructions

- Record prednisone as hormonal therapy when administered in combination with chemotherapy, such as MOPP (mechlorethamine, vincristine, procarbazine, prednisone) or COPP (cyclophosphamide, vincristine, procarbazine, prednisone).
- Do not code prednisone as hormone therapy when it is administered for reasons other than chemotherapeutic treatment.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022

# Hematologic Transplant and Endocrine Procedures

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 3250 | 2 | 00, 10-12, 20, 30, 40, 82, 85-88, 99 | All Years | 06/05, 01/10, 01/12, 01/13 |

## Description

D81ar5-3 (n)itenifienontemh-3 (if2.3 (t )-10.9 -1T 8EMvv)2.5nnoar o(ifisc)f ifaietrifs cscif.71 rg C2_07-3d ifie xI

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- x Cases coded 88 should be followed to determine whether they were given a hematologic transplant or endocrine procedure or why not.
- x Code 99 if it is not known whether a transplant or endocrine procedure is usually administered for this type and stage of cancer, and there is no mention in the patient record whether it was recommended or administered. Death certificate only.
- x If the hematologic transplant or endocrine procedure coded in this item was provided to prolong a patient's life by controlling symptoms, to alleviate pain, or to make the patient more comfortable, then also record the hematologic transplant or endocrine procedure provided in the items Palliative Care [3270] and/or Palliative Care at This Facility [3280], as appropriate.

| Code | Label |
|---|---|
| 00 | No transplant procedure or endocrine therapy was administered as part of first course therapy. Diagnosed at autopsy. |
| 10 | A bone marrow transplant procedure was administered, but the type was not specified. |
| 11 | Bone marrow transplant–autologous. |
| 12 | Bone marrow transplant–allogeneic. |
| [redacted] | Stem cell harvest and infusion. Umbilical cord stem cell transplant, with blood from one or multiple umbilical cords |
| 30 | Endocrine surgery and/or endocrine radiation therapy. |
| 40 | Combination of endocrine surgery and endocrine radiation therapy. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Systemic/Surgery Sequence

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1639 | 1 | 0, 2-7, 9 | 2006+ | 01/10, 01/11, 01/12, 02/21 |

## Description

Records the sequencing of systemic therapy and surgical procedures given as part of the first course of treatment.

## Rationale

The sequence of systemic therapy and surgical procedures given as part of the first course of treatment cannot always be determined using the date on which each modality was started or performed. This data item can be used to more precisely evaluate the timing of delivery of treatment to the patient.

## Coding Instructions

- For the purpose of coding the data item Systemic Sequence with Surgery, 'Surgery' is defined as a Surgical Procedure of Primary Site (codes 10-90) or Scope of Regional Lymph Node Surgery (codes 2-7) or Surgical Procedure of Other Site (codes 1-5).
- Systemic/Surgery Sequence is to be used for patients diagnosed on or after January 1, 2006.
- Code the administration of systemic therapy in sequence with the first surgery performed, described in the item Date of First Surgical Procedure [1200].
- If none of the following surgical procedures were performed: Rx Summ – Surg 2023 [1291], Scope of Regional Lymph Node Surgery [1292] (excluding code 1) , Surgical Procedure/Other Site [1294], then this item should be coded 0.
- If the patient received both systemic therapy and any one or a combination of the following surgical procedures: Rx Summ – Surg 2023 [12910.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Other Treatment

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1420 | 1 | 0-3, 6-9 | All Years | 06/05, 09/08, 01/10, 01/11, 01/12, 01/15 |

## Description

Identifies other treatment that cannot be defined as surgery, radiation, or systemic therapy according to the defined data items in this manual.

## Rationale

Information on other therapy is used to describe and evaluate the quality of care and treatment practices.

## Coding Instructions

- The principal treatment for certain reportable hematopoietic diseases could be supportive care that does not meet the usual definition of treatment that "modifies, controls, removes, or destroys" proliferating cancer tissue.
- Supportive care may include phlebotomy, transfusion, or aspirin. In order to report the hematopoietic cases in which the patient received supportive care, SEER and the Commission on Cancer have agreed to record treatments such as phlebotomy, transfusion, or aspirin as "Other Treatment" (Code 1) for certain hematopoietic diseases ONLY. Consult the most recent version of the **Hematopoietic and Lymphoid Neoplasm Case Reportability and Coding Manual** for instructions for coding care of specific hematopoietic neoplasms in this item
- Code 1 for embolization using alcohol as an embolizing agent.
- Code 1 for embolization to a site other than the liver where the embolizing agent is unknown.
- Code 1 for PUVA (psoralen and long-wave ultraviolet radiation)
- Do not code presurgical embolization that given for a purpose to shrink the tumor.
- A complete description of the treatment plan should be recorded in the text field for "Other Treatment" on the abstract.
- If other treatment was provided to prolong a patient's life by controlling symptoms, to alleviate pain, or to make the patient more comfortable, then also record the other treatment administered in the item Palliative Care [3270].
- Code 8 if it is known that a physician recommended treatment coded as Other Treatment, and no further documentation is available yet to confirm its

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

q68 23.76 TdETEMC 45fq 5796 5TdMC /Ar- 5796-3.9095TdMC /Arf9.96 0 0 9.96 53.04 762.24 T( TmEMC /Ar0Tw 117 Dq6
© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Palliative Care (Palliative Procedure)

| Item # |
| --- |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Examples

| Code | Reason |
|---|---|
| 0 | No palliative care was given. |
| 1 | A patient undergoes palliative surgical removal of brain metastasis. [Surgery recorded in |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Outcomes

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Date of First Recurrence

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1860 | 8 | CCYYMMDD, Blank | All Years | 06/05, 01/10, 01/11, 01/12, 01/23 |

## Description

Records the date of the first recurrence.

## Rationale

This data item is used to measure the efficacy of the first course of treatment.

## Coding Instructions

- Record the date the physician diagnoses the first progression, metastasis, or recurrence of disease after a disease-free period.
- Blank is allowable.
- Beginning in 2010, the way dates are transmitted has changed. In order that registry data can be interoperable with other data sources, dates are transmitted in a format widely accepted outside of the registry setting. However, this does not necessarily mean that the way dates are entered in any particular registry software product has changed. Software providers can provide the best information

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Type of First Recurrence

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1880 | 2 | 00, 04, 06, 10, 13-17, 20-22, 25-27, 30, 36, 40, 46, 51-59, 60, 62, 70, 88, 99 | All Years | 06/05, 01/10, 01/11, 01/13, 01/15, 01/18 |

## Description

Identifies the type of first recurrence after a period of documented disease-free intermission or remission.

## Rationale

This item is used to evaluate treatment efficacy and as a long-term prognostic factor.

## Coding Instructions

- Code the type of first recurrence. First recurrence may occur well after completion of the first course of treatment or after subsequent treatment.
- Check the SEER Multiple Primary and Histology Coding Rules Manual or the 2018 Solid Tumor Rules to determine which subsequent tumors should be coded as recurrences.
- If the patient has never been disease-free (code 70), continue to track for disease-free status which may occur after subsequent treatment has been completed.
- If the patient is disease-free (code 00), continue to track until a recurrence occurs. First recurrence may occur well after completion of the first course of treatment.
- Once a recurrence has been recorded (code 04-62 or 88), subsequent recurrences are NOT to be recorded.
- Codes 00 through 70 are hierarchical; record the highest-numbered applicable response, with the following limits. The first time a patient converts from disease status (70) to disease-free, change the code to 00. Then the first time a patient converts from 00 to a recurrence, then record the proper code for the recurrence. No further changes (other than corrections) should be made.
- If the tumor was originally diagnosed as in situ, code recurrence to 06, 16, 17, 26, 27, 36, or 46 only. Do not use those codes for any other tumors. Codes 00, 88, or 99 may apply to any tumor.
- Codes 51–59 (organ or organ system of distant recurrence) apply only if all first occurrences were in a single category. There may be multiple metastases (or “seeding”) within the distant location.
- Code lymphomas or leukemias that are in remission 00. If the patient relapses, then code recurrence as 59. If one of these is controlled by drugs (for example, Gleevec for CML), the patient is in remission.
- If there is more than one primary tumor and the physician is unable to decide which has recurred, code the recurrent disease for each tumor. If the recurrent primary is identified later, revise the codes appropriately.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 00 | Patient became disease-free after treatment and has not had a recurrence. |
| 04 | In situ recurrence of an invasive tumor. |
| 06 | In situ recurrence of an in situ tumor. |
| 10 | Local recurrence, and there is insufficient information available to code to 13–17. Local recurrence includes recurrence confined to the remnant of the organ of origin, to the organ of origin, to the anastomosis, or to scar tissue where the organ previously existed. |
| 13 | Local recurrence of an invasive tumor. |
| 14 | Trocar recurrence of an invasive tumor. Includes recurrence in the trocar path or entrance site following prior surgery. |
| 15 | Both local and trocar recurrence of an invasive tumor (both 13 and 14). |
| 16 | Local recurrence of an in situ tumor, NOS |
| 17 | Both local and trocar recurrence of an in situ tumor. |
| 20 | Regional recurrence, and there is insufficient information available to code to 21–27. |
| 21 | Recurrence of an invasive tumor in adjacent tissue or organ(s) only. |
| 22 | Recurrence of an invasive tumor in regional lymph nodes only. |
| 25 | Recurrence of an invasive tumor in adjacent tissue or organ(s) and in regional lymph nodes (both 21 and 22) at the same time. |
| 26 | Regional recurrence of an in situ tumor, NOS. |
| 27 | Recurrence of an in situ tumor in adjacent tissue or organ(s) and in regional lymph nodes at the same time. |
| 30 | Both regional recurrence of an invasive tumor in adjacent tissue or organs(s) and/or regional lymph nodes (20–25) and local and/or trocar recurrence (10, 13, 14, or 15). |
| 36 | Both regional recurrence of an in situ tumor in adjacent tissue or organ(s) and/or regional lymph nodes (26 or 27) and local and/or trocar recurrence (16 or 17). |
| 40 | Distant recurrence, to a site not listed in 46-62 or there is insufficient information available to code to 46–62. |
| 46 | Distant recurrence of an in situ tumor. |
| 51 | Distant recurrence of an invasive tumor in the peritoneum only. Peritoneum includes peritoneal surfaces of all structures within the abdominal cavity and/or positive ascitic fluid. |
| 52 | Distant recurrence of an invasive tumor in the lung only. Lung includes the visceral pleura. |
| 53 | Distant recurrence of an invasive tumor in the pleura only. Pleura includes the pleural surface of all structures within the thoracic cavity and/or positive pleural fluid. |
| 54 | Distant recurrence of an invasive tumor in the liver only. |
| 55 | Distant recurrence of an invasive tumor in bone only. This includes bones other than the primary site. |
| 56 | Distant recurrence of an invasive tumor in the CNS only. This includes the brain and |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Code | Label |
|---|---|
| 58 | Distant recurrence of an invasive tumor in lymph node only. Refer to the staging |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Date of Last C[redacted]

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1772 | 8 | CCYYMMDD, Blank | 2018+ | 01/18, 01/23 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF

# Follow-Up Source

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 1790 | 1 | 0-5, 7-9 | All Years | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Case Administration

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Facility Identification Number (FIN)

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 540 | 10 | 10 digits | All Years | 09/08, 01/12 |

## Description

Identifies the facility reporting the case.

## Rationale

Each facility's identification number (FIN) is unique. The number is essential to the National Cancer Database (NCDB) for monitoring data submissions, ensuring the accuracy of data, and for identifying areas for special studies.

## Coding Instructions

- Facility Identification Number is automatically coded by the software provider.
- For facilities with seven-digit FINs in the range of 6020009–6953290 that were assigned by the CoC before January 1, 2001, the coded FIN will consist of three leading zeros followed by the full seven- digit number.
- For facilities with eight-digit FINs greater than or equal to 10000000 that were assigned by the CoC after January 1, 2001, the coded FIN will consist of two leading zeros followed by the full eight-digit number.
- Facilities that are part of an Integrated Network Cancer Program (INCP) must

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# NPI–Reporting Facility

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 545 | 10 | 10 digits, Blank | 2008+ | 04/07, 09/08, 01/10, 01/12 |

## Description

Identifies the facility whose data are in the record.

## Rationale

Each facility's NPI is unique. The number is essential to the National Cancer Database (NCDB) for monitoring data submissions, ensuring the accuracy of data, and for identifying areas for special studies.

NPI–Reporting Facility is the NPI equivalent of Facility Identification Number [540]. Both are required during a period of transition.

## Coding Instructions

- NPI–Reporting Facility is automatically coded by the software provider.
- NPI should be recorded as available for cases diagnosed during 2007, and is required to be recorded for all cases diagnosed January 1, 2008, and later.
- The facility's NPI can be obtained from the billing or accounting department, or searched at https://nppes.cms.hhs.gov/#/.
- If the facility has more than one NPI number assigned, use the "umbrella" number that applies to the entire facility.
- Facilities that are part of an Integrated Network Cancer Program (INCP) must use the hospital-specific NPI number in their data for submission to the National Cancer Database.
- Facilities that merge are legally a single hospital. Use the NPI number for the merged hospital.
- NPI may be blank for cases diagnosed on or before December 31, 2007.

## Examples

| Code | Reason |
|---|---|
| (fill spaces) | 10-digit NPI number for the facility. |
| (leave blank) | NPI for the facility is unknown or not available. |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# NPI–Archive FIN

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Date Case Completed – CoC

| Item # | Length | Allowable Values | Required Status | Date Revised |
|---|---|---|---|---|
| 2092 | 8 | CCYYMMDD | ≥2010 | 01/12 |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## PAROTID AND OTHER UNSPECIFIED GLANDS

**Parotid Gland C07.9, Major Salivary Glands C08.0–C08.9**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A100 Local tumor destruction, NOS
- A110 Photodynamic therapy (PDT)
- A120 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- A130 Cryosurgery
- A140 Laser

**No specimen sent to pathology from surgical events A100–A140.**

A200 Local tumor excision, NOS
- A260 Polypectomy
- A270 Excisional biopsy
- Any combination of A200 or A260–A270 WITH
  - A210 Photodynamic therapy (PDT)
  - A220 Electrocautery
  - A230 Cryosurgery
  - A240 Laser ablation
- A250 Laser excision

A300 Less than total parotidectomy, NOS; less than total removal of major salivary gland, NOS
- A310 Facial nerve spared
- A320 Facial nerve sacrificed
- A330 Superficial lobe ONLY
  - A340 Facial nerve spared
  - A350 Facial nerve sacrificed
- A360 Deep lobe (Total)
  - A370 Facial nerve spared
  - A380 Facial nerve sacrificed

A400 Total parotidectomy, NOS; total removal of major salivary gland, NOS
- A410 Facial nerve spared
- A420 Facial nerve sacrificed

A500 Radical parotidectomy, NOS; radical removal of major salivary gland, NOS
- A510 WITHOUT removal of temporal bone
- A520 WITH removal of temporal bone
- A530 WITH removal of overlying skin (requires graft or flap coverage)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A990 Unknown if surgery performed; death certificate ONLY

(Revised 01/10, 02/10, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**Removal of the colon from cecum to the rectosigmoid or a portion of the rectum.**

A700 Colectomy or proctocolectomy resection in continuity with other organs; pelvic exenteration

A800 Colectomy, NOS; Proctectomy, NOS

**Specimen sent to pathology from surgical events A200–A800.**

A900 Surgery, NOS

A990 Unknown if surgery performed; death certificate ONLY

(Revised 01/10, 02/10, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## RECTUM

**C20.9**

**Code** removal/surgical ablation of single or multiple liver metastases under the data item Surgical Procedure/Other Site (NAACCR Item #1294).

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A100 Local tumor destruction, NOS
A120 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

**No specimen sent to pathology from surgical events A100-A120**

A200 Local tumor excision, NOS
A260 Polypectomy
A270 Excisional biopsy
Any combination of A200 or A260–A270 WITH
A220 Electrocautery
A280 Curette and fulguration

A300 Segmental resection; partial proctectomy, NOS

**Procedures coded A300 include, but are not limited to:**

Anterior resection
Hartmann's operation
Low anterior resection (LAR)
Transsacral rectosigmoidectomy

A400 Pull through WITH sphincter preservation (coloanal anastomosis)

A500 Total proctectomy

**Procedure coded A500 includes, but is not limited to:**

Abdominoperineal resection

A600 Total proctocolectomy, NOS

A700 Proctectomy or proctocolectomy with resection in continuity with other organs; pelvic exenteration

A800 Proctectomy, NOS
**Specimen sent to pathology from surgical events A200–A800.**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## ANUS

**C21.0–C21.8**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A100 Local tumor destruction, NOS
A120 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
A150 Thermal Ablation

**No specimen sent to pathology from surgical events A100, A120 and A150.**

A200 Local tumor excision, NOS
A260 Polypectomy
A270 Excisional biopsy
Any combination of A200 or A260–A270 WITH
A220 Electrocautery

A600 Abdominal perineal resection, NOS (APR)
A610 APR and sentinel node excision
A620 APR and unilateral inguinal lymph node dissection
A630 APR and bilateral inguinal lymph node dissection

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery* (NAACCR Item #1292) or *Scope of Regional Lymph Node Surgery at This Facility* (NAACCR Item #672).**

**Specimen sent to pathology from surgical events A200–A630.**

A900

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**Specimen sent to pathology from surgical events A200–A750.**

A900 Surgery, NOS

A990 Unknown if surgery performed; death certificate ONLY

Revised 01/10, 02/10, 01/11, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## PANCREAS

**C25.0–C25.9**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A250 Local excision of tumor, NOS

A300 Partial pancreatectomy, NOS; example: distal

A350 Local or partial pancreatectomy and duodenectomy
A360 WITHOUT distal/partial gastrectomy
A370 WITH partial gastrectomy (Whipple)

A400 Total pancreatectomy

A600 Total pancreatectomy and subtotal gastrectomy or duodenectomy

A700 Extended pancreatoduodenectomy

A800 A6Tc 0.-ectomytg04 413r-1.3 (t6 (7( )Tj40.001(i)10O Tm( >>BDC -0.007 T02 26007 Tw 11.04 -0 0 11.04 63 5291.64 Tm

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A990 Unknown if surgery performed; death certificate ONLY

(Revised 01/10, 02/10, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## LUNG

**C34.0–C34.9**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A190 Local tumor destruction or excision, NOS

**Unknown whether a specimen was sent to pathology for surgical events coded A190 (principally for cases diagnosed prior to January 1, 2003).**

A150 Local tumor destruction, NOS

A120 Laser ablation or cryosurgery

A130 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

**No specimen sent to pathology from surgical events A120–A130 and A150.**

A200 Excision or resection of less than one lobe, NOS

A230 Excision, NOS

A240 Laser excision

A250 Bronchial sleeve resection ONLY

A210 Wedge resection

A220 Segmental resection, including lingulectomy

A300 Resection of lobe or bilobectomy, but less than the whole lung (partial pneumonectomy, NOS)

A330 Lobectomy WITH mediastinal lymph node dissection

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery* (NAACCR Item #1292) or *Scope of Regional Lymph Node Surgery at This Facility* (NAACCR Item #672).**

A450 Lobe or bilobectomy extended, NOS

A460 WITH chest wall

A470 WITH pericardium

A480 WITH diaphragm

A550 Pneumonectomy, NOS

A560 WITH mediastinal lymph node dissection (radical pneumonectomy)

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery* (NAACCR Item #1292) or *Scope of Regional Lymph Node Surgery at This Facility* (NAACCR Item #672).**

A650 Extended pneumonectomy

A660 Extended pneumonectomy plus pleura or diaphragm

A700 Extended radical pneumonectomy

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery* (NAACCR Item #1292) or *Scope of Regional Lymph Node Surgery at This Facility* (NAACCR Item #672).**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## SKIN

**C44.0–C44.9**

**All 2023 site specific surgery codes begin with a letter A except for skin which start with a letter B to indicate a significate change in coding.**

***The priority order for sources used to assign surgery codes is:***
***Operative report, statement from a physician, description of the surgical procedure on a pathology report, results of the pathology report. Code based on the description of the procedure.***

***Do not code based on margin status documented in the pathology report.***

B000 None; no surgery of primary site; autopsy ONLY

B100 Local tumor destruction, NOS
- B110 Photodynamic therapy (PDT)
- B120 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- B130 Cryosurgery
- B140 Laser

B2/Artif56>>BDC 0 0.00 0.0-5 ( ) Lyyie (3.3 (c)60.7 (y)-r auouc tytf hNt1c 11(r)5fuo1c x1c 2.34(o)-6. tc tyt tytuyr2(patt 84 63

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## BREAST

**C50.0–C50.9**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A190 Local tumor destruction, NOS

**No specimen was sent to pathology for surgical events coded A190 (principally for cases diagnosed prior to January 1, 2003).**

A200 Partial mastectomy, NOS; less than total mastectomy, NOS
- A210 Partial mastectomy WITH nipple resection
- A220 Lumpectomy or excisional biopsy
- A230 Reexcision of the biopsy site for gross or microscopic residual

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A760 Bilateral mastectomy for a single tumor involving both breasts, as for bilateral inflammatory carcinoma.

A500 Modified radical mastectomy

A510 WITHOUT removal of uninvolved contralateral breast

A530 Reconstruction, NOS

A540 Tissue

A550 Implant

A560 Combined (Tissue and Implant)

A520 WITH removal of uninvolved contralateral breast

A570 Reconstruction, NOS

A580 Tissue

A590 Implant

A630 Combined (Tissue and Implant)

**Removal of all breast tissue, the nipple, the areolar complex, and variable amounts of breast skin in continuity with the axilla. The specimen may or may not include a portion and**

A800 Mastectomy, NOS

**Specimen sent to pathology for surgical events coded A200-A800.**

A900 Surgery, NOS

A990 Unknown if surgery performed; death certificate ONLY

(Revised 01/04, 01/10, 02/10, 05/10, 01/11, 01/13, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A530 Radical hical hal hAal hW (ge)-31.48-3]TJ7-3rA9003 cIEd 0.011.u]TJ7-3rge849.04 181.5c 1.5764.196MCID 0 >>BD

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A600 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
- A610 Modified radical hysterectomy
- A620 Extended hysterectomy
- A630 Radical hysterectomy; Wertheim procedure
- A640 Extended radical hysterectomy

A650 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A720 Posterior exenteration
**Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.**

A730 Total exenteration
**Includes removal of all pelvic contents and pelvic lymph nodes.**

A740 Extended exenteration
**Includes pelvic blood vessels or bony pelvis.**

A800 (Salpingo-)oophorectomy, NOS

**Specimen sent to pathology from surgical events A250–A800.**

A900 Surgery, NOS

A990 Unknown if surgery performed; death certificate ONLY

(Revised 01/04, 01/10, 02/10, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

A800 Prostatectomy, NOS

**Specimen sent to pathology from surgical events 20–80.**

A900 Surgery, NOS

A990 Unknown if surgery performed; death certificate ONLY

(Revised 12/4/02, 01/10, 02/10, 1/11, 01/16, 02/21, 01/22, 01/23)

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## TESTIS

**C62.0–C62.9**

**Codes**

A000

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## KIDNEY, RENAL PELVIS, AND URETER

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

Ureterectomy, NOS

**Specimen sent to pathology from surgical events A200–A800.**

A900 Surgery, NOS

A990

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF

## LYMPH NODES

**C77.0–C77.9**

**Codes**

A000 None; no surgery of primary site; autopsy ONLY

A190 Local tumor destruction or excision, NOS

**Unknown whether a specimen was sent to pathology for surgical events coded to A190 (principally for cases diagnosed prior to January 1, 2003).**

A150 Local tumor destruction, NOS

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

8482/3 Adenocarcinoma, HPV-independent, ga g711.04 -0 0

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

**Geographic AreeogERVED**

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| Preferred: Specific Codes for Use Where the Detail is Known | | |
| Africa, NOS | ZZF | YY |
| Alabama | USA | AL |
| Aland Islands | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| Preferred: Specific Codes for Use Where the Detail is Known | | |
| Libya | LBY | XX |
| Liechtenstein | LIE | XX |
| Lithuania | LTU | XX |
| Louisiana | US | LA |
| Luxembourg | LUX | XX |
| Macao | MAC | XX |
| Macedonia | MKD | XX |
| Madagascar | MDG | XX |
| Maine | USA | ME |
| Malawi | MWI | XX |
| Malaysia | MYS | XX |
| Maldives | MDV | XX |
| Mali | MLI | XX |
| Malta | MLT | XX |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| Preferred: Specific Codes for Use Where the Detail is Known | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| Preferred: Specific Codes for Use Where the Detail is Known | | |
| Spain | ESP | XX |
| Sri Lanka | LKA | XX |
| St Pierre and Miquelon | SPM | XX |
| St. Barthelemy | BLM | XX |
| St. Helena | SHN | XX |
| St. Kitts and Nevis | KNA | XX |
| St. Lucia | LCA | XX |
| St. Vincent and the Grenadines | VCT | XX |
| Sudan | SDN | XX |
| Suriname | SUR | XX |
| Svalbard and Jan Mayen | SJM | XX |
| Swaziland | SWZ | XX |
| Sweden | SWE | XX |
| Switzerland | CHE | XX |
| Syria | SYR | XX |
| Taiwan | TWN | XX |
| Tajikistan | TJK | XX |
| Tanzania | TZA | XX |
| Tennessee | USA | TN |
| Texas | USA | TX |
| Thailand | THA | XX |
| Timor-Leste | TLS | XX |
| Togo | TGO | XX |
| Tokelau Islands | TKL | XX |
| Tonga | TON | XX |
| Trinidad and Tobago | TTO | XX |
| Tunisia | TUN | XX |
| Turkey | TUR | XX |
| Turkmenistan | TKM | XX |
| Turks and Caicos | TCA | XX |
| [redacted] | | XX |
| | | UM |

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| Preferred: Specific Codes for Use Where the Detail is Known | | |
| Uruguay | URY | XX |
| Utah | USA | UT |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## General

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| General: Codes to Use In the Absence of More Specific Information | | |
| United States, NOS | USA | US |
| Canada, NOS | CAN | CD |
| Africa, NOS (Central, Equatorial) | ZZF | YY |
| Asia, NOS | ZZA | YY |
| Asian and Arab Countries | ZZA | YY |
| Atlantic/Caribbean Area | ZZN | YY |
| Baltic Republic(s), NOS (Baltic States, NOS) | ZZE | YY |
| Central America | ZZC | YY |
| Czechoslovakia | CSK | YY |
| East Asia | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Obsolete

| Geographic Area | Country Code | State or Province Code |
|---|---|---|
| **Obsolete: State/Province or Country Codes That Must Not Be Used for Current Coding** | | |

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# A Word from the Editors

The work you do collecting radiotherapy data elements matters a lot. Over the last 5 years, over 2,000 manuscripts have been published utilizing radiotherapy data from the National Cancer Database or SEER. These manuscripts, in small ways and large, help clinicians take better care of patients, policy makers take better care of communities, and

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

Idata

By now you undoubtedly know that, with the STORE, coding for radiation treatment has changed significantly. These changes were introduced to provide the NCDB with a more complete and accurate description of contemporary radiation treatment. Consistent coding and reporting of treatment across multiple registry platforms is critical in many dimensions:

- Optimizing quality measure performance scores
- Providing meaningful outcome results for future analysts of NCDB data
-

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

## Summary of Coding Principles fn 733.08 0ta1 Tm [5aginati-9.8 (e)-

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

With respect to the order in which phases should be summarized, our recommendation is:

- Phases should be summarized first in chronological order.
- If multiple phases start on the same date, then list the phases in order from highest 'Total Phase Dose' to lowest 'Total Phase Dose',
- If multiple phases start on the same date and have the same Total Phase Dose, then any order is acceptable.

3. When there are more than three phases: In most treatment settings this will occur in a relatively small number of cases, typically with unusually complex treatment plans, occasionally with cases with multiple metastatic sites treated simultaneously. The STORE guidelines are clear. Collect and report details of the first three phases but report the actual number of first course phases treated in the field "Number of Phases of Radiation Treatment in this Course".

4. Phase Total Dose: The upcoming STORE manual will make an important clarification as follows:e 7

4.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# Case Studies

## 1 No Radiation Therapy

Clinical

- 87-year-old man with mild fatigue is found to have an elevated lymphocyte count on CBC.
- Bone marrow biopsy in your facility confirms a diagnosis of chronic lymphocytic leukemia.
- Physician and patient agree that no treatment is indicated at this time.

Coding Logic

x #2: Though not required by Ec42C8n ande Tf 0.002 Tc -0.002 T(o)10.3 (u)4T1Coding Log2 Ec42C8nn54 1 Tf 2.C<</M0 T.ID 216 >>BDC /TT5 1 Tfis1.C/ r<<14.5 4t th(gEER 0.5Tf 0.002 1/M07Tdg0.96 1 Tf hIu)9.5 (4 TT5 2.C<</M0 T.ID 25.67(g)-4 (ic)]TJ 0 Tc 0 Tw 5.82 n ic

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# 4 Single Target Volume – Single Phase

Clinical

- 78 y/o female with new diagnosis of multiple myeloma
- R hip pain
- Lytic lesion, threatening fracture

| Seg | # | Field | Code/Definition |
|---|---|---|---|
| Summary | 1 | Rad/Surg Sequence | 0 No radiation and/or sur |
| | 2 | Reason No Rad | 0 Radiation wasadmin.. |
| | 3 | Location of Rad | 1 All RT at this facility |
| | 4 | Date Started | 04/05/2018 |
| | 5 | Date Ended | 04/09/2018 |
| | 6 | Number of Phases | 01 |
| | 7 | Discontinued Early | 01 Radiation completed |

Treatment

- Treated locally using opposed conformal[1] 15Mv photons
- 5 fractions at 400 cGy per day - 4/5/18 to 4/9/18
- Chemo started on completion of radiation treatment

Coding Logic

- #1: Code 0 in this field because there was no surgery.
- #8: Simple math, 400 x 5, but you should always find the total dose in the summary letter.
- #10: Inguinal lymph nodes may be exposed to radiation during treatment of the hip, but they are not being intentionally targeted.
- #12: Here you need to read the record carefully. However, the hip is a complex structure adjacent to radiosensitive organs (bowel and bladder) so, even for palliative treatment, the radiation "ports" (the radiation oncologist's term for radiation beams, a.k.a. "fields") for hip treatment are usually conformally shaped to avoid adjacent soft tissue and organs as much as possible.
- #16: STORE rules say you must code the Volume of the first unused phase to 00. In this case all the fields in phase 3 can be left blank.

[1] "Conformal" simply means that the fields were shaped to was created to "conform" the radiation dose to the target and/or avoid normal tissue. With "3D Conformal" treatment a CT simulation is obtained and a plan generated using 3 dimensional information. In conformal treatments, beams are shaped using lead blocks or a multi-leafed collimator to something other than the basic rectangular beams used in 2D therapy.
*Vendor software generally populates leading zeros.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- #8, 14, 15: These dose fields are coded as 99998 and 999998 because dose was not prescribed in cGy or Gy.
- #12: We code this to “88 Not applicable” because with I-131 and other systemic isotopes there is no planning in the conventional sense. The physician selects a dose level based on risks of residual disease and the risk of complications.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

- #16: The prostate is still the primary target. The next field tells us that pelvic lymph nodes were treated. In FORDS you would have used Volume code 35, “Prostate and pelvis.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED

# 7 Breast and Regional Nodes with Breast and Axillary Boost

Clinical

- 46 y/o female with T2N1M0 breast cancer, and conservation surgery. 3 of 5 axillary nodes
- positive. ER 100%, PR 10%, Her2-negative.

**Treatment**

- Whole breast RT, 5040 cGy in 28 fractions given between 8/13/2018 and 9/19/2018 using 6Mv photons, conformal fields.
- Axillary and supraclavicular (SC) nodes treated concurrently with 6Mv photons using an anterior field covering both regionsto deliver a daily dose of 180 cGy to a depth of 3 cm. Because the radiation intensity diminishes with depth, a posterior axillary field (PAB) was added delivering 30cGy per day to the midplane of the axilla so this region also receivedthe prescribed daily dose of 180cGy.d p pains.

This dose is meant to represent the “cumulative” dose across phases to the same point or region (receiving the highest dose). Importantly, this field should report the cumulative dose to the highest dose treatment volume so long as the phases were performed using the same modality (i.e. external beam, brachytherapy, etc.).

- #10: In this phase the code “04” represents both axillary and SC regions as a single target. STORE coding does not provide enough granularity to distinguish between the possible combination of targets in this region.
- #17: In this field, code 04 represents just the axilla as it receives three additional treatments.

© 2022 AMERICAN COLLEGE OF SURGEONS ALL RIGHTS RESERVED